



h '#
'''j ' j # h 'O

Selected pages (not a complete plan)

Part 1: Project-Specific Quality Plan

Part 2: Quality Manual

**Part 3: Submittal Forms** 

Part 4: @ # 7

**Contact:** 

FirstTimeQuality 410-451-8006

# PROJECT-SPECIFIC PLUMBING QUALITY PLAN TABLE OF CONTENTS

|   | 7                       |
|---|-------------------------|
| Customer  Project Name  Project Number  | 7                       |
| Project Location  Overall Project Description  [CompanyName] Scope of Work  | 7                       |
| A. [CompanyName] Quality Policy   | 9                       |
| Project Quality Assurance/Quality Control Plan Overview   | 12                      |
| C. Project Quality Coordination and Communication   | 17                      |
| Project QC Job Position Assignments   | 17<br>18                |
| E. Duties, Responsibilities, and Authority of QC Personnel  F. Personnel Qualifications and Technical Certifications  |                         |
| Personnel Certification Requirements  | 26                      |
| G. Qualification of Third Party Inspection/Testing Companies and Subcontractors and Suppliers   | 28                      |
| Plumbing Inspection/Testing Laboratory Qualification Requirements   | 28<br>29                |
|   | 21                      |
| H. Quality Training  I. Plumbing Project Quality Specifications   |                         |
|   | <b> 34</b><br>34        |
| I. Plumbing Project Quality Specifications  Local construction Codes  | 34<br>35                |
| Local construction Codes  | 34<br>35<br>38          |
| I. Plumbing Project Quality Specifications  Local construction Codes  Compliance with Industry Plumbing Standards  J. Material Inspection Traceability and Quality Controls  Identification of Lot Controlled Materials   | 34<br>35<br>38<br>38    |
| I. Plumbing Project Quality Specifications  Local construction Codes  Compliance with Industry Plumbing Standards  J. Material Inspection Traceability and Quality Controls  Identification of Lot Controlled Materials  Material Receiving and Inspection  | 34 35 38 38 38 42       |
| I. Plumbing Project Quality Specifications  Local construction Codes  Compliance with Industry Plumbing Standards  J. Material Inspection Traceability and Quality Controls  Identification of Lot Controlled Materials  Material Receiving and Inspection  K. Plumbing Inspection and Test Plan  Inspection and Testing Plumbing Standards | 34 35 38 38 38 42 43 44 |

| Daily Quality Control Report                          | 48 |
|---|----|
| M. Control of Corrections and Nonconformances         | 52 |
| Marking of Nonconformances and Observations           |    |
| Control the Continuation of Work                      |    |
| Recording of Nonconformances                          |    |
| Quality Manager Disposition of Nonconformance Reports |    |
| Corrective Actions                                    |    |
| Nonconformance Preventive Actions                     | 54 |
| N. Project Completion Inspections                     | 56 |
| Punch-Out QC Inspection                               | 56 |
| Pre-Final Customer Inspection                         | 56 |
| Final Acceptance Customer Inspection                  |    |
| O. Project Quality Records and Documents              | 60 |
| P. Quality Assurance Surveillance                     | 63 |
| Project Quality Performance Surveillance              |    |
| Project Quality Performance Surveillance              | 63 |
| Project Quality Audits                                |    |
| Project Audit Plan                                    | 64 |
| Project Audit Requirements                            |    |
| Q. Additional Quality Control Requirements            | 66 |

# I. Plumbing Project Quality Specifications

Fulfilling customer contract expectations is a primary objective of the [CompanyName] Quality System. To ensure that customer expectations will be fulfilled, [CompanyName] clearly defines the requirements for each contract before it is approved.

The Project Manager ensures that the information in customer contracts clearly defines customer expectations and that the necessary details are provided to set requirements for construction.

[CompanyName] personnel and subcontractors and suppliers are accountable for compliance to standards-based written specifications.

To achieve expectations reliably and consistently, specifications are clearly spelled out, not only for results but also for processes. Specifications apply to materials, work steps, qualified personnel and subcontractors and suppliers, safe work rules, and environmental work conditions.

Standards ensure that results are specified rather than left to discretionary practices.

## **COMPLIANCE WITH INDUSTRY PLUMBING STANDARDS**

Codes that may apply to this project include those listed below.

| Regulatory Codes and Industry Standards |  |                           |   |  |  |  |
|---|--|---------------------------|---|--|--|--|
| Division                                | Description  | Reference<br>Standard No. | Reference Standard Title  |  |  |  |
| 22                                      | Installation of plastic pipe where in compliance with NFPA     | PPFA-01                   | Firestopping: Plastic Pipe in Fire Resistive Construction   |  |  |  |
| 22                                      | Brazed joints  | AWS B2.2/B2.2M            | Specification for Brazing Procedure and Performance Qualification                                       |  |  |  |
| 22                                      | Soldered joints  | ASME B31.5                | Refrigeration Piping and Heat Transfer Components   |  |  |  |
| 22                                      | Corrosion protection coatings for buried pipe and fittings     | NACE SP0169               | Control of External Corrosion on Underground or Submerged Metallic Piping Systems                       |  |  |  |
| 22                                      | Installation of pipe hangers, inserts and supports             | MSS SP-58                 | Pipe Hangers and Supports - Materials, Design and Manufacture, Selection, Application, and Installation |  |  |  |
| 22                                      | Beveling, alignment, heat treatment, and inspection of weld    | ASME B31.1                | Power Piping  |  |  |  |
| 22<br>33                                | Installation of gas-fired water heater and gas piping          | NFPA 54                   | National Fuel Gas Code  |  |  |  |
| 22                                      | Installation of oil-fired water heater                         | NFPA 31                   | Standard for the Installation of Oil-Burning Equipment  |  |  |  |
| 22                                      | Installation of fixtures for use by the physically handicapped | ICC/ANSI A117.1           | Accessible and Usable Buildings and Facilities  |  |  |  |

| [CompanyName][CompanySuffix] Quality Inspection and Test Plan |                         |                             |      |  |            |  |                                    |  |  |  |
|---|-------------------------|-----------------------------|------|--|------------|--|------------------------------------|--|--|--|
| Project ID Project Name CONTRACTOR                            |                         |                             |      |  | CONTRACTOR |  |                                    |  |  |  |
| [ProjectNumber]   |                         | [ProjectName] [CompanyName] |      | [ProjectName] [CompanyName]  |            |  |                                    |  |  |  |
| SPECIFICATION<br>SECTION<br>AND<br>PARAGRAPH<br>NUMBER        | SCHEDULE<br>ACTIVITY ID | TEST REQUIRED               | APPR | ACCREDITED/ APPROVED LAB YES /NO SAMPLED BY LOCATION OF TEST ON/OFF DATE COMPLETED |            |  | DATE FORWARDED TO CUSTOMER REMARKS |  |  |  |
|   |                         |                             |      |  |            |  |                                    |  |  |  |
|   |                         |                             |      |  |            |  |                                    |  |  |  |
|   |                         |                             |      |  | X          |  |                                    |  |  |  |
|   |                         |                             |      |  |            |  |                                    |  |  |  |
|   |                         |                             |      |  |            |  |                                    |  |  |  |
|   |                         |                             |      | U  |            |  |                                    |  |  |  |
|   |                         |                             |      |  |            |  |                                    |  |  |  |

# L. WORK TASK QUALITY INSPECTIONS

[CompanyName] identifies a list of work tasks which will be quality controlled. Each work task is subject to a series of inspections; before, during, and after completion.

Each inspection verifies compliance with full scope of the relevant specifications; not limited to inspection form checkpoints.

The initial work task-ready inspection occurs when work is ready to start and ensures that work begins only when it does not adversely impact quality results.

Incoming material inspections verify that materials are as specified and meet all requirements necessary to assure quality results.

Work-in-process inspections continuously verify that work conforms to project specifications and quality expectations. Work continues only when it does not adversely impact quality results.

At completion of the work task an inspection verifies that work has been completed in accordance with project quality requirements.

Inspection results are recorded and maintained as part of the project files.

The Quality Manager identifies each Task that is a phase of construction that requires separate quality controls to assure and control quality results. Each Task triggers as set of requirements for quality control inspections before, during and after work tasks.

Independent quality audits are conducted to verify that the task quality controls are operating effectively.

Construction projects may execute a work task multiple times in a project, in which case a series of quality inspections are required for each work task.

Independent quality control audits are conducted to verify that the task quality controls are operating effectively.

# **IDENTIFICATION OF QUALITY INSPECTED WORK TASKS**

A listing of project work tasks is included on the Quality Control work task List and included as an exhibit in this subsection.

## REQUIRED INSPECTIONS FOR EACH WORK TASK

Each work task is subject to a series of inspections before, during, and at completion as described below. Results of inspections are recorded.

#### **PREPARATORY SITE INSPECTION**

The Superintendent performs a quality inspection of the work area and:

- Assesses completion of required prior work
- Verifies field measurements
- Assures availability and receiving quality inspection status of required materials
- Identifies any nonconformances to the requirements for the task to begin
- Identifies potential problems

#### TASK-READY INSPECTIONS

For each work task, the Superintendent or a qualified inspector performs job-ready quality inspections to ensure that work activities begin only when they should begin. Job-ready quality inspections verify that conditions conform to the project quality requirements.

#### **WORK IN PROCESS QUALITY INSPECTIONS**

For each work task, the Superintendent or a qualified inspector performs an initial work in process inspection when the first representative portion of a work activity is completed.

# QUALITY MANUAL TABLE OF CONTENTS

| 1. Quality System Management and Responsibilities                 | ε  |
|---|----|
| 1.1. Overview   | 6  |
| 1.2. [CompanyName][CompanySuffix] Quality Policy                  | 6  |
| 1.3. Quality Duties, Responsibilities, and Authority              | 6  |
| 1.4. Quality System Performance Measures                          | 9  |
| 1.5. Customer Satisfaction Performance Measures                   | 9  |
| 1.6. Exceptions   | 9  |
| 2. Project Quality Assurance/Quality Control Plan                 |    |
| 2.1. Overview   | 10 |
| 2.2. [CompanyName] Project License and Qualification Requirements | 10 |
| 2.3. Project Personnel and Qualifications                         | 11 |
| 2.4. Project Quality Assurance/Quality Control Plan               |    |
| 2.5. Identification of Quality Controlled Work Tasks              | 12 |
| 2.6. Project Quality Inspection and Test Plan                     | 12 |
| 2.7. Project Quality Communications Plan                          |    |
| 2.8. Project Quality Training Plan                                | 12 |
| 2.9. Customer Training On Operation and Maintenance               | 12 |
| 2.10. Project Records and Documentation Plan                      | 13 |
| 2.11. Project Audit Plan  |    |
| 3. Contract Specifications  |    |
| 3.1. Overview   | 14 |
| 3.2. Contract Technical Specifications                            | 14 |
| 3.3. Contract Drawings  | 14 |
| 3.4. Contract Submittals  | 14 |
| 3.5. Customer Submittal Approval                                  | 16 |
| 3.6. Contract Warranty  | 16 |
| 3.7. Contract Review and Approval                                 | 17 |
| 4. Design Review and Control                                      | 18 |
| 4.1. Overview   | 18 |
| 4.2. Design Input Review  | 18 |
| 4.3. Project Design Quality Assurance/Quality Control Plan        | 18 |
| 4.4. Design Progress Reviews                                      | 19 |
| 4.5. Design Output Verification and Approval                      | 19 |
| 5. Project-Specific Quality Standards                             | 20 |
| 5.1. Overview   | 20 |
| 5.2. Regulatory Codes   | 20 |

| 5.3. Industry Quality Standards   | 20 |
|---|----|
| 5.4. Material and Equipment Specifications                                | 20 |
| 5.5. Work Process Specifications  | 21 |
| 5.6. Controlled Material Identification and Traceability                  | 21 |
| 5.7. Measuring Device Control and Calibration                             | 21 |
| 5.8. [CompanyName] Quality Standards                                      | 22 |
| 5.9. Application of Multiple Sources of Specifications                    | 22 |
| 6. Project Purchasing   | 23 |
| 6.1. Overview   |    |
| 6.2. Qualification of Outside Organizations and Company Departments       | 23 |
| 6.3. Quality Responsibilities of Key Subcontractor and Supplier Personnel |    |
| 6.4. Requirements for Subcontractor QC Plan                               | 25 |
| 6.5. Subcontractor and Supplier Quality Policy                            |    |
| 6.6. Project Subcontractor and Supplier List                              | 26 |
| 6.7. Purchase Order Requirements  | 26 |
| 6.8. Project Purchase Order Approvals                                     |    |
| 7. Process Controls   |    |
| 7.1. Overview   | 27 |
| 7.2. Project Startup and Quality Control Coordination Meeting             |    |
| 7.3. Preparatory Project Quality Assurance/Quality Control Plan Planning  |    |
| 7.4. Weekly Quality Planning and Coordination Meetings                    |    |
| 7.5. Process Control Standards  |    |
| 7.6. Daily Quality Control Report   |    |
| 7.7. Monthly Quality Control Report                                       |    |
| 8. Inspections and Tests  |    |
|   |    |
| 8.1. Overview   |    |
| 8.2. Required Work Task Quality Inspections and Tests                     |    |
| 8.3. Material Inspections and Tests                                       |    |
| 8.4. Work in Process Inspections  |    |
| 8.5. Work Task Completion Inspections                                     |    |
| 8.6. Inspection of Special Processes                                      |    |
| 8.7. Independent Measurement and Tests                                    |    |
| 8.8. Commissioning Functional Acceptance Tests                            |    |
| 8.9. Hold Points for Customer Inspection                                  |    |
| 8.10. Quality Inspection and Test Specifications                          |    |
| 8.11. Inspection and Test Acceptance Criteria                             |    |
| 8.12. Inspection and Test Status  |    |
| 8.13. Independent Quality Assurance Inspections                           |    |
| 8.14. Inspection and Test Records   |    |
| 8.15. Project Completion and Closeout Inspection                          | 35 |
| 9. Nonconformances and Corrective Actions                                 | 37 |
| 9.1. Overview   | 37 |

| 9.2. Nonconformances                              | 37 |
|---|----|
| 9.3. Corrective Actions                           | 38 |
| 10. Preventive Actions                            | 40 |
| 10.1. Overview                                    | 40 |
| 10.2. Identify Preventive Actions for Improvement |    |
| 10.3. Train Preventive Actions for Improvement    |    |
| 11. Quality System Audits                         | 42 |
| 11.1. Overview                                    | 42 |
| 11.2. Project Quality System Audit                | 42 |
| 11.3. Company-wide Quality System Audit           | 42 |
| 12. Record and Document Controls                  | 43 |
| 12.1. Overview                                    | 43 |
| 12.2. Quality System Documents                    | 43 |
| 12.3. Document Controls                           | 43 |
| 12.4. Record Controls                             |    |
| 13. Appendix                                      | 45 |
| 13.1. Definitions of Terms                        | 45 |
|   |    |

# 7. Process Controls

#### HOW WORK IS CARRIED OUT

#### 7.1. OVERVIEW

The construction process plan defines how project work is to be done and approved for the overall project. The construction process plan is communicated to all key personnel, subcontractors and suppliers in a startup meeting. As the project proceeds, work task plans provide additional details of how each individual work task is carried out. Work tasks planning meetings are used to communicate expectations of the work task plan to key personnel responsible for carrying out the work task.

#### 7.2. Project Startup and Quality Control Coordination Meeting

Prior to the commencement of work, the Project Manager holds a meeting to discuss and coordinate how project work will be performed and controlled. Key personnel from [CompanyName], subcontractors and suppliers meet to review expectations for project quality results as well as quality assurance and quality control policies and procedures including:

- Key requirements of the project
- The Project Quality Assurance/Quality Control Plan
- Required quality inspections and tests
- The project submittal schedule
- Quality policies and heightened awareness of critical quality requirements
- Project organization chart and job responsibilities
- Methods of communication and contact information
- Location of project documents and records

#### 7.3. PREPARATORY PROJECT QUALITY ASSURANCE/QUALITY CONTROL PLAN PLANNING

#### 7.3.1. WORK TASK REQUIREMENTS REVIEW

In preparation for the start of an upcoming work task, the Superintendent reviews an integrated and coordinated set of documents that collectively define quality requirements for the work task including:

- Objectives and acceptance criteria of the work task
- Quality standards that apply to the work task
- Work instructions, process steps, and product installation instructions that apply to the work task
- Shop drawings
- Submittals
- Tools and equipment necessary to perform the work
- · License, certification, or other qualification requirements of personnel assigned to work
- Required records of the process and resulting product
- The subcontractor contracted to perform the work, if applicable
- Customer contract requirements
- Required quality inspections and tests
- Method for clearly marking nonconformances to prevent inadvertent use
- Location of quality system records and documents
- Personnel training

#### 7.3.2. PREPARATORY SITE INSPECTION

The Superintendent also performs a quality inspection of the work area and:

- Assesses completion of required prior work
- Verifies field measurements
- Assures availability and receiving quality inspection status of required materials
- Identifies any nonconformances to the requirements for the work task to begin
- Identifies potential problems

#### 7.3.3. WORK TASK PREPARATORY QUALITY PLANNING MEETINGS

Prior to the start of a work task, the Superintendent conducts a meeting with key company, subcontractor personnel responsible for carrying out, supervising, or inspecting the work, and interested customer representatives.

During the meeting, the Superintendent communicates the work task quality requirements and reinforces heightened awareness for critical requirements. Topics for a work task quality plan meeting include:

- Conflicts that need resolution
- Required quality documents and a verification of availability to personnel carrying out, supervising, or inspecting the work task
- Record keeping requirements and the availability of necessary forms
- Review methods and sequences of installation
- Special details and conditions
- Standards of workmanship
- Heightened awareness of critical quality requirements
- Quality risks
- Work tasks quality inspection form

#### 7.4. WEEKLY QUALITY PLANNING AND COORDINATION MEETINGS

The Superintendent conducts a meeting with key company, subcontractor and supplier personnel responsible for carrying out, supervising, or inspecting the work, and interested customer representatives.

The meeting is held on a nominal weekly schedule. During the meeting, the Superintendent facilitates coordination among the participants, communication among the participants, and reinforces heightened awareness for critical requirements.

The Superintendent maintains a record of the meeting event on the Daily Quality Control Report.

# 9. Nonconformances and Corrective Actions

#### 9.1. OVERVIEW

Should a nonconformance be identified by an inspection there is a systematic method to control the item, correct it, and ensure that project quality is not adversely impacted by the event.

A nonconformance is any item that does not meet project specifications or [CompanyName] Quality System requirements.

#### 9.2. Nonconformances

#### 9.2.1. MARKING OF NONCONFORMANCES AND OBSERVATIONS

When the Quality Manager, Superintendent, inspector, or customer identifies a nonconformance or an observation, the item is quickly and clearly marked by tape, tag, or other easily observable signal to prevent inadvertent cover-up.

#### 9.2.2. CONTROL THE CONTINUATION OF WORK

After the item is marked, the Superintendent determines if work can continue in the affected area:

CONTINUE WORK: When continuing work does not adversely affect quality or hide the defect, work may continue in the affected area while the disposition of the item is resolved. The Superintendent may place limitations on the continuation of work.

STOP WORK ORDER: When continuing work can adversely affect quality or hide the defect, work must stop in the affected area until the disposition of the item resolved. The Superintendent identifies the limits of the affected area. The Superintendent quickly and clearly identifies the boundaries of the stop work area.

#### 9.2.3. NONCONFORMANCE REPORT

#### 9.2.3.1. RECORDING OF NONCONFORMANCES

If nonconformances or observed items exist by the work task completion inspection, the Superintendent or inspector records the nonconformances on a nonconformance report.

The Superintendent sends the nonconformance report to the Quality Manager.

#### 9.2.3.2. QUALITY MANAGER DISPOSITION OF NONCONFORMANCE REPORTS

When the Quality Manager receives a Nonconformance Report, he or she makes an assessment of the affect the reported nonconformance has on form, fit, and function. The Quality Manager may assign a disposition of either:

### **List of Included Forms**

#### **Standard Forms:**

- Point Of Contact List
- Project Organization Chart
- Project Quality Communications Plan
- Quality Manager Appointment Letter
- Project Manager Appointment Letter
- Superintendent Appointment Letter
- Personnel Certifications and Licenses
- Project Personnel Resumes
- Project Subcontractor and Supplier List
- Training Plan
- Training Log
- Regulatory Codes and Industry Standards
- Project Regulatory Building Codes
- Controlled Materials Form
- Metals Material Receiving Inspection Report
- Material Inspection and Receiving Report
- Inspection and Testing Standards
- Quality Inspection and Test Plan
- Test Equipment Calibration Plan and Log
- Quality Controlled Work Task List
- Daily Production Report
- Work Task Inspection Form
- Nonconformance Report
- Punch List
- Project Completion Inspection Form
- System Document Control Form
- Project Records Control Form
- Project Quality System Audit Form

| [CompanyName][CompanySuffix]  Nonconformance Report                     |   |  |  |  |  |  |
|---|---|--|--|--|--|--|
| Version 20131125  |   |  |  |  |  |  |
| Nonconformance Report Control ID  | Project ID  | Project Name                                 |  |  |  |  |
| Control id  |   | Project Name                                 |  |  |  |  |
|   | [ProjectNumber]   | [ProjectName]                                |  |  |  |  |
| Preparer Signatu  | re/ Submit Date   | Quality Manager Signature / Disposition Date |  |  |  |  |
|   |   |  |  |  |  |  |
| Description of the requirement or specification                         |   |  |  |  |  |  |
| Description of the nonconformance, location, affected area, and marking |   | 6  |  |  |  |  |
| Disposition   | Replace Repair Rework Use As-is  Approval of disposition required by customer representative? Yes No                          |  |  |  |  |  |
|   | Customer approval signature /date:  |  |  |  |  |  |
| Corrective Actions  | Corrective actions completed Name/Date:  Customer acceptance of corrective actions required? Yes \( \square\) No \( \square\) |  |  |  |  |  |
| Preventive Actions  | □ Preventive actions completed Name/Date:   |  |  |  |  |  |

# LIST OF INCLUDED INSPECTION FORMS FOR PLUMBING

- Plumbing Insulation
- Electric Domestic Water Heaters
- Facility Potable-Water Storage Tanks
- Facility Sanitary Sewerage
- Facility Storm Drainage
- Facility Water Distribution
- Fuel-Fired Domestic Water Heaters
- Plumbing Fixtures

| Plumbing - Plumbing Insulation 22.07.00  |   |  |   |  |  |  |  |
|--|---|--|---|--|--|--|--|
| Project: Phase:  |   | Contract#:   |   | Subcontractor:   | Crew:  |  |  |
|  |   |  |   |  |  |  |  |
| Compliance Verification  |   | FTQ 2TQ  | Heightened  | Awareness Checkpoints  | <u> </u>   |  |  |
| <ul> <li>□ Compliance with initial jobready requirements</li> <li>□ Compliance with material inspection</li> <li>□ Compliance with work in process first article inspection requirements</li> <li>□ Compliance with work in process inspection requirements</li> <li>□ Compliance with Task completion is requirements</li> <li>□ Compliance with inspection and test</li> <li>□ Compliance with safety policies and</li> <li>Reported Nonconformances and incomplete</li> </ul>   |   | applying Ins<br>Area to be in<br>moisture<br>Adhesive/Ar<br>with Insulation<br>Insulation propoints<br>Insulation propoints<br>Insulation proportion of<br>insulation<br>Insulation processed insulation<br>Insulation processed insulation<br>Insulation processed insulation<br>Insulation processed insulation processed in | nsulated is free of rust/<br>nchors/Staples/Wrappi<br>on type<br>grough penetrations ma<br>rotected from chafe at<br>rotected from weatheri<br>f valves and actuators | // scale// dirt// and ng utilized is compatible aintains fire rating of all supports and contact ng and moisture intrusion not hindered by |  |  |  |
|  | TQ Scores ar  | nd Comp  | etion Sign  | -off   |  |  |  |
| Field Mgmt91.45.01  Quality 5 4 3 2 1 Notes:  On-Time 5 4 3 2 1 Notes:   |   |  |   |  |  |  |  |
| Safety 5 4 3 2 1 Notes:  |   |  |   |  |  |  |  |
| Sign and date*: Cell # / ID #::  Task has been has been verified complete and in compliance with contribution of the complete and in compliance with contribution of the complete and in compliance with contribution of the complete and in c |   |  | conformances and inc  | Date: $2 = 6 + or major problems$  | I = Excessive problems   |  |  |
| $ \begin{array}{ccc} On-Time Score \\ \hline S = On Time \end{array} $ 5 = On Time   | 4 = 1 minor problems<br>4 = Late<br>4 = 1 minor problem | 3 = Late l   |   | 2 = Late by 2 days<br>2 = 4+ or major problem  | I = Late more than 2 days I = Injury Copyright 2012 First Time Quality |  |  |

# Industry-Specific Information Available by Division

| 03 Concrete                        | 08 Openings         | 27 Communications                 |
|------------------------------------|---------------------|-----------------------------------|
| 04 Masonry                         | 09 Finishes         | 28 Electronic Safety and Security |
| 05 Metals                          | 21 Fire Suppression | 31 Earthwork                      |
| 06 Wood Plastic<br>Composite       | 22 Plumbing         | 32 Exterior Improvements          |
| 07 Thermal and Moisture Protection | 23 HVAC             | 33 Utilities                      |
|                                    | 26 Electrical       |                                   |



For More Information:

**Contact: FirstTimeQuality** 

410-451-8006

www.FirstTimeQuality.com

EdC@FirstTimeQuality.com